



C. Nelson Manufacturing Company, Inc.  
www.cnelson.com ... sales@cnelson.com  
419-898-3305 x 201

**WE SELL COOL**

# Our Cold Plates Have the Competition Melting

If you're using dry ice, you may be melting down your profits. Nelson vending cabinets with cold plates are a chip above the rest. Guaranteed to give you a minimum of a 12 hour day in 90 degree temperatures, Nelson cabinets are convenient, economical, dependable and can be built for ice cream, soda, Italian ices, ice slush, or combinations such as ice cream and soda. Let your sales rise with the heat, because nothing should be melting-especially your product.

Best Deals on the Internet and the great for the beginning ice cream vending business. As an business owner there will be things to worry about, but with a Nelson cold plate freezer, your ice cream won't be one of them. We at Nelson do not simply modify store cabinets; our vending cabinets are built from the ground up to provide the extra performance you need in the delivery/vending business.

The operation of the cold plate vending freezer is quite simple. Plug the unit in at night (generally a standard 115 volt outlet, maximum 11 amps) and freeze the cold plates overnight. In the morning (or 10-12 hours later) the freezer is ready to operate and hold temperatures of zero degrees for up to 12 hours without an electric source or dry ice.

Other temperatures may be used for specific applications, such as +6 degrees F. for dipping ice cream,  
+12 degrees F. for scooping Italian ices,  
+25 degrees F. for soft frozen slush and  
+40 degrees F. for refrigerated items.

\* Some models are listed. Ask for details



## Advantages over dry ice:

- \*Lower operating costs
- \*Less product loss
- \*Convenient

## Advantages over Generators:

- \*Reliability—5 year limited warranty on cold plates, insulation and rust-through
- \* Fewer repairs
- \*Less downtime—generally run at night when outdoor temperatures are cooler
- \*Less Heat—eliminates exhaust heat of an operating freezer or waste heat from a generator

## Additional Features:

**Poured Urethane Walls**—minimum 3" on sides, 3.5" on bottom, 40% more than conventional equipment.

**Oversized Compressors** for fast pull down.

**Built-in Dole Coldplates**

**Safe-edged Stainless Steel Tops**— All corners welded and polished. No raw edges, ever!





**Stainless Front & End Construction**

**Safety Kit** for securing freezer to floor

**Heavy Duty Outdoor Power Cord**





**5-Year Limited Warranty** on cabinet construction.

**1-Year Limited Warranty** on compressor.



	NAME	DATE	C. Nelson Mfg.		
DRAWN	PAC	2/5/2014			
CHECKED			TITLE:  VBD6SE COLD PLATE SERIES		
ENG APPR.					
MFG APPR.					
Q.A.					
COMMENTS:					
			SIZE A	DWG. NO. VBD6SE	REV
			SCALE: 1:16		WEIGHT:
DO NOT SCALE DRAWING					



**PROPRIETARY AND CONFIDENTIAL**  
 THE INFORMATION CONTAINED IN THIS  
 DRAWING IS THE SOLE PROPERTY OF  
 C. NELSON MFG. ANY  
 REPRODUCTION IN PART OR AS A WHOLE  
 WITHOUT THE WRITTEN PERMISSION OF  
 C. NELSON MFG. IS  
 PROHIBITED.



	NAME	DATE	C. Nelson Mfg.		
DRAWN	PAC	2/5/2014			
CHECKED					
ENG APPR.					
MFG APPR.					
Q.A.			TITLE:  VBD8SE COLD PLATE SERIES		
COMMENTS:					
DO NOT SCALE DRAWING			SIZE	DWG. NO.	REV
			A	428	
			SCALE: 1:16	WEIGHT:	SHEET 1 OF 1


**PROPRIETARY AND CONFIDENTIAL**  
 THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF C. NELSON MFG. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF C. NELSON MFG. IS PROHIBITED.

DO NOT SCALE DRAWING



SECTION A-A


(2) COLD  
PLATES  
TEMP  
TBD



SECTION B-B

	NAME	DATE	<b>C. Nelson Mfg.</b>		
DRAWN	PAC	5/21/2014	TITLE:		
CHECKED			<b>VBD10SE COLD PLATE SERIES</b>		
ENG APPR.					
MFG APPR.					
Q.A.			SIZE	DWG. NO.	REV
COMMENTS:			<b>A</b>	450	
DO NOT SCALE DRAWING			SCALE: 1:18	WEIGHT:	SHEET 1 OF 1

**PROPRIETARY AND CONFIDENTIAL**  
THE INFORMATION CONTAINED IN THIS  
DRAWING IS THE SOLE PROPERTY OF  
C. NELSON MFG. ANY  
REPRODUCTION IN PART OR AS A WHOLE  
WITHOUT THE WRITTEN PERMISSION OF  
C. NELSON MFG. IS  
PROHIBITED.



**C. Nelson Mfg.**

DWG. NO.  
574


SIZE <b>B</b>	REV -	SHEET 1 OF 1	SCALE: 1:16
------------------	----------	--------------	-------------

TITLE:  
**VBD12SE  
COLD PLATE SERIES**

MATERIAL XXX	FINISH --
-----------------	--------------

	NAME XXX	DATE xxx	USED ON -
COMMENTS: -			

**PROPRIETARY AND CONFIDENTIAL**  
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF C. NELSON MFG. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF C. NELSON MFG. IS PROHIBITED.  
**DO NOT SCALE DRAWING**



**C. Nelson Mfg.**

DWG. NO.  
493

SIZE REV  
**B** - SHEET 1 OF 1

SCALE: 1:16

TITLE:

**VBD14SE**

MATERIAL


FINISH

	NAME	DATE	USED ON
DRAWN	LMH	4/7/2015	-
CHECKED			
COMMENTS:			

**PROPRIETARY AND CONFIDENTIAL**


THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF C. NELSON MFG. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF C. NELSON MFG. IS PROHIBITED.

**DO NOT SCALE DRAWING**



VBD-3688  
MOTOR END

REV.		
C. NELSON MFG.		
TITLE: VBD-3688-IS		
USED ON:		1 OF 1
DWN. BY: JED	PART NO.: VBD-3688-IS	REV. NR
DATE: 06/17/08		
SCALE: AUTO		



VBD-3688  
MOTOR TOP

REV.		
C. NELSON MFG.		
TITLE: VBD-3688MT-IS□		
USED ON:		1 OF 1
DWN. BY: JED	PART NO.: VBD-3688-IS□	REV. NR
DATE: 06/17/08		
SCALE: AUTO		